⚠ 1. Safety precautions

The products in this manual are industrial products and are all open-type housing designs. It is essential to install these products within a control cabinet that is safeguarded against dust, moisture, and accidents such as electric shocks or physical impacts. Additionally, protective measures must be taken to prevent malfunctions or damage caused by improper operation or accidents involving non-maintenance ŅĻ0PбŻŻĻI FËiIŏ0Ļ TБ ķБ PБ mĒĭ IĻĒķ TБ PĻ0iБŎP 0ŏPkP TБ ŅĻ0PбŻŻĻI PĒfĻTĬ ĒŽķ ŅБŤĻŻTiĒI IБPP Бf ŅŏБŅĻâĭ

E

¼IĻĒPĻ 0ĻfĻ0 TБ ThĻ E PĻ0iĻP ljĒ0iĒ İ IĻ f0ĻθŎĻŻı ĭ ķ0iIjĻ (çFD) mĒŻŎĒI fБ0 mБ0Ļ ķĻŤĒiIĻķ iŻfБ0mĒTiБŻ

2. Model identification

HDv E630 - 4T 037 B S - ***

1 2 4 5 7

1	Product name
^Dlj	^Ļıh0ĒŻ çFD

2	Product series
E	E E PĻ0iĻP

3	
2S	ÃiŽglĻ ŅhĒPĻ ç ç
4T	Êh0ĻĻ-ŅhĒPĻ ç ç

4	* Power class*
	è
1.5	kè
2.2	kè
	kè
5.5	kè
7.5	kè
	kè
	kè
	kè
	kè
	kè
....	....
	kè

5	Braking component
({ A)	è ïThБŎT İ 0ĒkĻ ŏŽiT
B	è ïTh İ 0ĒkĻ ŏŽiT

6	STO STO Function
({ A)	ÃÊ¢ è ïThБŎT ÃÊ¢ fŏŽıTiБŻ
S	ÃÊ¢ è ïTh ÃÊ¢ fŏŽıTiБŻ

7	/ Customized software/firmware code
X	A ö ({ A)

kè

{ БTĻ ÊhĻ ŅIĒŻŻiŻg fБ0 ŅБNJĻ0 g0ĻĒTĻ0 ThĒŻ kè iP iŻ ŅŏБg0ĻPP

3. General electrical and environmental specifications

3.1 General electrical specifications

4.6	4 Main circuit inte r ace, cable connecting and disconnecting 4		
		①拧松螺丝 Loosen the s	
C {			

(Screen printing)	(Indicator meaning)	(Color)		Status	Description
¿Ï {	(½ÕNJĻ0 PŌŊŊNITˇ iŻĶi ı ĚTÕ0)	(¿Ļķ)		{ ÕT IiT	BŌP iŻ ŊÕNJĻ0Ļķ - ÕŇ PTĚTĻ
				siT	Bus in powered-up state

IO IO wiring				
Type	Digital input wiring		High-speed input wiring	
	(Internal power supply wiring)	(External power supply wiring)	(Internal power supply wiring)	(External power supply wiring)
({¼{ âŽJNŒT)	短路片或导			